

Gas Detection.



Accessories

Calibration & Co.



Calibration adapter

For convenient calibration of the gas sensors SC2 and MC2 and for the targeted supply of zero and test gases to the sensor head.

- Suitable for all gases
- Easy handling
- Perfect coverage of the sensor head



Air duct set

Individually customizable set for gas measurement in pipes.

- Flow velocity:
min. 5 000 m/h, max. 20 000 m/h
- Duct diameter: min. 0.1 m, max. 1.0 m



Splash protection cap

Protection against rain and splash water from all directions for the SC2 or MC2 gas sensors.

- Calibration with mounted protective cover possible using a compatible calibration adapter



Flow regulator

Attachment for gas cylinders with integrated pressure reducer for regulating the volume flow rate of a gas to a predefined value.

- Preset gas flow rate for optimum calibration results



Service tool

Hand-held device for display, calibration, addressing and parameter changes.

- Configuration of systems
- Calibration of sensors
- Also suitable for analog sensors with adapter



Software PCE-06

Autonomous and menu-driven software for convenient addressing, parameter setting and calibration of the devices.


- User-friendly design
- Recording and exporting of measured values
- No external power supply required



Warning signs

Warning signs with individual labeling.

- Warning signs comply with international standards for font display, brightness and characters



Water-Jet-Protection

Housing protection of sensors and controllers against water damage caused by high-pressure cleaners.

- Transparent, hinged cover
- At least IP66 (up to IP69K depending on installation)
- Can be individually adapted to the application



Alarm horn / flashing light

Can be controlled separately.


- [Selectable tone](#)
- [Several color combinations available](#)



Remote battery package

UPS option for MSR-Electronic controllers.

- [Uninterruptible power supply](#)



Magnetic pen

Magnetic pen for contactless menu operation on PX2 with display.


- Operating the display on the PX2 in the ATEX area
- No need to open the device for parameterization, calibration or display
- Gas-safe



Sensor protection cap

The sensor protection cap as an option for conversion measures.

- Sensor protection during painting work or dusty renovations without destroying the sensors or without having to remove them



Splash protection cap

Protection from rain, splash water and other weather influences.

- Suitable for zone 1 and 2
- Easy installation
- Calibration possible through provided gas inlet



Gas charging set

For sensor series SX1 and SSAX1, consisting of stainless steel adapter and Viton® hose.

- Precisely fitting set to ensure the gas feed for SX1 and SSAX1
- Essential for precise calibration



PolyGard® and PolyXeta®

Accessories

CalibCase and CalibPack

Practical all-in-one system for PolyGard®2 and PolyXeta®2.
Perfect for use in the field.

With the calibration case or rucksack you receive all the necessary devices and accessories for commissioning, calibration of MSR sensors and parameterisation of MSR controllers.

It is packed in a compact case or backpack for convenient and safe transport.

Case

- Individually configurable
- Compact all-in-one case
- Secure storage for electronic and mechanical products
- IP67 when closed
- Temperature-stable from -20 °C to +80 °C
- Resistant to common alkalis and acids
- Eyelets for locking or sealing
- Sturdy carrying handle (foldable)

Backpack

- Ergonomic weight distribution of the load on both shoulders thanks to padded carrying straps
- Large capacity for additional material or for use when traveling etc.
- Large opening for easy removal of tools of tools and laptop
- Protected inner laptop pocket for safe transportation



MSR SHOP24

Configure your products here.



Gas Detection.



We are part of the MSR-Group.



MSR VIDEO
Our YouTube Channel



MSR LinkedIN
Find out all the news about us.

MSR-Electronic GmbH

Bürgermeister-Schönbauer-Str. 13
94060 Pocking
Germany

Phone: +49 8531 9004 0
Mail: info@msr-electronic.de
www.msr-electronic.de



All rights, product discontinuations, changes and errors reserved. For further technical data, please refer to the corresponding data sheets.
Photos: MSR-Electronic, Adobe Stock
Version 45/23